

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of prolonging a local effect of a pharmaceutically or cosmetically active substance when such substance is used in a topical cream or lotion prepared from an oil-in-water emulsion carrier, the method comprising:

a. providing an oil-in-water emulsion carrier including an oily non-polar lipid material, an aqueous phase and a galactolipid material as an emulsifier;

b. adding a pharmaceutically or cosmetically active substance to the carrier to form a formulation for a topical cream or lotion formulation;

c. topically applying the topical cream or lotion formulation; and

d. wherein the galactolipid material is present in the formulation in an amount to prolong the local effect of the pharmaceutically or cosmetically active substance when the

formulation is applied.

2. (Previously Amended) The method according to claim 1, wherein 0.1-50% by weight of oily material and 0.5-20% by weight of emulsifier are provided in the formulation.

3. (Previously Amended) The method according to claim 1, wherein 1-40% by weight of oily material and 0.5-10% by weight of emulsifier are provided in the formulation.

4. (Previously Amended) The method according to claim 1, including providing the galactolipid material so as to consist of at least 50% by weight of digalactosyl-diacylglycerols and a remainder of non-digalactosyldiacylglycerol polar lipids, and adding the galactolipid material so as to constitute an amount of 1.0-5.0% by weight of the formulation.

5. (Previously Amended) The method according to claim 1, including providing the galactolipid material so as to consist of 50-70% by weight of digalactosyldiacylglycerols and 30-50% by

weight of non-digalactosyldiacylglycerol polar lipids.

6. (Previously Amended) The method according to claim 1, including providing the galactolipid material as a fractionated oat oil which consists of at least 15% by weight of digalactosyldiacylglycerols and a remainder of non-digalactosyldiacylglycerol polar and non-polar lipids, and adding the galactolipid material so as to constitute an amount of 2.0-10% by weight of the formulation.

7. (Previously Amended) The method according to claim 6, including providing the galactolipid material as a fractionated oat oil which contains 40-60% by weight polar lipids and a remainder of non-polar lipids.

8. (Previously Amended) The method according to claim 1 wherein the oil-in-water emulsion is formed as a cream base by providing in % by weight;

Oily non-polar lipid

10.0-30.0%

| | |
|-------------------------|-----------|
| Galactolipid emulsifier | 0.5-5% |
| Thickner | 2.0-10.0% |
| Preservative | 0.1-1.0% |
| Water | ad 100% |

9. (Previously Amended) The method according to claim 1 including incorporating a moisturizer as the active substance.

10. (Previously Amended) The method according to claim 1 including adding an active substance for use in treatment of atopic dermatitis.

11. (Previously Amended) The method according to claim 1 including incorporating a corticosteroid as the active substance, for treatment of skin inflammation.

12. (Previously Amended) The method according to claim 1 including incorporating 13-hydroxy-linoleic acid as the active substance.

13. (Previously Added) The method of claim 9 including adding glycerol as the moisturizer.